


Borehole	Depth	Liquid Limit	Plastic Limit	Plasticity Index	Maximum Size (mm)	%<#200 Sieve	Classification	Water Content (%)	Dry Density (pcf)	Saturation (%)	Void Ratio
LAB-1	1.0	61	28	33	0.15	85	CH	25.6	99.4	99	0.695
LAB-1	2.0				2	38					
LAB-1	5.0	28	20	8	4.75	70	CL				
LAB-1	10.0	NP	NP	NP	4.75	8	SW-SM	16.7	113.5	97	0.457
LAB-1	15.0	47	27	20	0.6	87	CL	20.3	107.2	99	0.543
LAB-1	28.5	39	22	17	0.3	91	CL	24.0	101.3	100	0.634
LAB-2	0.0				0.25	92		15.4	115.4	94	0.433
LAB-2	5.0	62	29	33	0.6	76	CH	39.4	76.7	90	1.156
LAB-2	12.5	35	15	20				24.6	99.0	97	0.671
LAB-2	19.0	31	22	9	75	14	GC	26.8	98.0	103	0.688
LAB-2	24.0	37	22	15	2.36	30	SC	31.3	91.0	101	0.818
LAB-2	29.0	NP	NP	NP	0.3	89	ML	10.4	103.3	46	0.601
LAB-2	33.0	37	22	15	0.6	65	CL	14.9	119.0	101	0.390
LAB-3	0.0				2	53					
LAB-3	2.0	61	28	33	0.85	86	CH	15.1	116.6	96	0.419
LAB-3	4.0	36	22	14	0.6	38	SC	10.5	120.5	75	0.372
LAB-3	6.0	38	23	15	1.18	58	CL	10.6	123.0	81	0.345
LAB-3	11.0	47	25	22	1.18	69	CL	16.5	110.0	87	0.503
LAB-3	19.0	41	23	18	0.15	92	CL	25.0	100.2	102	0.652
LAB-3	29.0	36	22	14	0.6	87	CL	36.0	85.1	101	0.945
LAB-3	38.0	29	20	9	4.75	28	SC	27.5	95.5	100	0.732
LAB-4	2.5	56	31	25	0.6	87	MH	37.8	83.7	103	0.977
LAB-4	4.5							12.5	121.1	90	0.366
LAB-4	5.5				0.3	92					
LAB-4	7.0				2.36	42					
LAB-4	7.5	40	25	15				12.8	120.3	90	0.375
LAB-4	10.5	30	21	9	4.75	29	SC	16.7	112.3	94	0.473
LAB-4	11.5				0.3	90					
LAB-4	15.0				4.75	25					
LAB-4	19.0	37	22	15				27.2	96.1	100	0.721
LAB-4	29.0	32	22	10				17.9	110.1	94	0.503
LAB-4	37.5							30.8	91.4	101	0.811
LAB-5	0.0	58	26	32				14.7	116.3	92	0.422
LAB-5	2.8				1.18	68					
LAB-5	3.5	NP	NP	NP				24.8	98.7	97	0.676
LAB-5	4.5				4.75	22					

US LAB SUMMARY US LAB.GPJ US LAB.GDT 8/7/03

	ACME CONSULTING 1234 Anystreet Somewhere, Someplace Telephone: 534 123 4567 Fax: 534 321 4567	<h3>Summary of Laboratory Results</h3>
		Project: gINT Example Location: Somewhere Number: 123456789