

# LOG OF BOREHOLE

JOB NO. 123456 VERTICAL SCALE 1" = 4' BORING NO. B-1

PROJECT gINT Example Somewhere, USA

SHEET 1 OF 2

DEPTH IN FEET	DESCRIPTION OF MATERIAL	WL	N or CR	SAMPLE		LABORATORY TESTS					
				NO.	TYPE	W	D	LL	PL	Qu or ROD	
	SURFACE ELEVATION <u>123.4</u>										
	SILTY SAND(SM), very loose, fine, non-plastic, dark brown, moist		5	1	SS	10					
	SAND (SP), very loose, fine, brown, moist		4	2	SS						
5	wet		7	3	SS						
	SAND (SP), loose, fine to medium with trace fine gravel, brown, saturated		6	4	SS						
10			5	5	SS						
15	CLAYEY SAND (SC) loose to very loose, fine to medium with some fine gravel, brown		push	6	SH	30	90	35	18	500	
20			50/6"	7	SS						
25	CLAYEY GRAVEL (GP) very dense, fine to coarse limestone gravel, moderate plasticity, brown and gray mottled										

WATER LEVEL MEASUREMENTS

DATE	TIME	SCREEN DEPTH	CASING DEPTH	HOLE/CAVE-IN	BAILED DEPTHS	WATER LEVEL	START	COMPLETE
							7/20/98	7/21/98
							@ 14:15	
7/20	12:00	---	---	20.5	---	114.4	METHOD: 6" Hollow Stem Auger	
7/20	17:00	---	7.0	31.8	13.0	115.6		
7/21	8:00	---	7.0	29.7	---	114.0	EAST: 9876	NORTH: 5432
7/22	10:00	18.6	---	---	---	115.8	CREW CHIEF: I. Core	

Logo

## ACME Consulting

1234 Main Street  
Somewhere, SOMEPLACE  
Telephone: (000) 555-1234  
Fax: (000) 555-4321

LAGWINN02\_GEO\_LAGWINN02.GPJ\_LAGWINN02.GDT 7/22/04

# LOG OF BOREHOLE

JOB NO. 123456 VERTICAL SCALE 1" = 4' BORING NO. **B-1**

PROJECT gINT Example Somewhere, USA

SHEET 2 OF 2

DEPTH IN FEET	DESCRIPTION OF MATERIAL	WL	N or CR	SAMPLE		LABORATORY TESTS				
				NO.	TYPE	W	D	LL	PL	Qu or ROD
35	LIMESTONE moderately to highly weathered, moderately fractured, tan		80%	R-1	CORE					
40			75%	R-2	CORE					
45			80%	R-3	CORE					
50			85%	R-4	CORE					
	End of Borehole									

LAGWINN02\_GEO\_LAGWINN02.GPJ LAGWINN02.GDT 7/22/04



## ACME Consulting

1234 Main Street  
Somewhere, SOMEPLACE  
Telephone: (000) 555-1234  
Fax: (000) 555-4321