






LOG OF BORING B-3
SHEET 1 OF 2

Client ABC Developers, Inc.
Project Name gINT Example
Number 123456789
Location New Downtown Shopping Center

Drill Contractor AAAAA Drilling
Drill Method Mud Rotary
Drilling Started 12/19/02 Ended 12/19/02
Logged By A. Bore

Elevation --
Total Depth 45.0
Depth To Water

DEPTH FEET	SAMPLE NO.	BLOWS/FT	USCS	LITHOLOGY	DESCRIPTION	DEPTH FEET
8	SPT 1	8	CH		SANDY FAT CLAY(CH) soft, high plasticity, fine, black, dry to slightly moist grading stiffer	
5	SPT 2	25	CL		SANDY LEAN CLAY(CL) stiff, low plasticity, fine, grey, wet	5
10	SH 3	push	SW SM		WELL GRADED SAND with SILT(SW-SM) medium dense, medium to fine sand, non-plastic, grey, wet to saturated, with pockets of undecomposed wood, trace mica flakes	10
15	SPT 4	35	CL		SANDY LEAN CLAY(CL) stiff, moderated plasticity, fine, greyish green	15
20	SPT 5	25	CL		LEAN CLAY(CL) stiff, moderate plasticity, green, saturated	20
30	MC 6	14				30

(continued)

LOG A E\WNN05 LOG A E\WNN05.GPJ LOG A E\WNN05.GDT 8/6/03

LOGO
ACME CONSULTING
1234 Anystreet
Somewhere, Someplace
Telephone: 534 123 4567
Fax: 534 321 4567

Remarks The site is flat and dry. Located 150 feet east of the flagpole and 50 feet south of the post office.
See key sheet for symbols and abbreviations used above.