

Logo

ACME Consulting
 1234 Main Street
 Someplace, SOMEWHERE
 Telephone: (000) 555-1234
 Fax: (000) 555-4321

BORING NUMBER B-1

PROJECT NUMBER ABC-12345 DATE STARTED 4/4/02
 PROJECT NAME gINT Example DATE COMPLETED 4/5/02
 LOCATION Someplace, USA CASING TYPE/DIAMETER ---
 DRILLING METHOD Hollow Stem Auger SCREEN TYPE/SLOT ---
 SAMPLING METHOD Split Spoon GRAVEL PACK TYPE ---
 GROUND ELEVATION 101.90 GROUT TYPE/QUANTITY ---
 TOP OF CASING --- DEPTH TO WATER 16.0
 LOGGED BY A. Bore GROUND WATER ELEVATION 85.9
 REMARKS Weather: Warm, sunny, slight westerly wind.

PID (ppm)	BLOW COUNTS	RECOVERY (inches)	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH
ND	5 9 12 14	23	SS 1			GW-GC		Gray-brown clayey sandy gravel, medium dense to dense, moist to wet, gravels subrounded up to 2" diameter	5.0
8	7 10 13	11	SS 2		5	SC		Brown clayey sand, medium stiff, moist	10.0
7	9 11 15	18	SS 3		10	CL		Blue-gray sandy clay, medium stiff, moist	13.0 13.5
15	11 12 15	18	SS 4		15	CL		Light gray sand lense	15.0
22	13 13 27	16	SS 5		20	SP		Dark brown to gray silty sand, dense, wet to saturated	
ND	25 55/4"	6	MC 6		25	SC		Brown clayey sand, dense, saturated	21.0
ND		48	CORE R-1		30	SC		becoming black	23.0
ND								Black Sandstone, moderately hard, moderately strong, highly weathered	25.0

Logo

ACME Consulting
1234 Main Street
Someplace, SOMEWHERE
Telephone: (000) 555-1234
Fax: (000) 555-4321

BORING NUMBER B-1

PROJECT NUMBER ABC-12345 DATE STARTED 4/4/02
PROJECT NAME gINT Example DATE COMPLETED 4/5/02

Continued from Previous Page

PID (ppm)	BLOW COUNTS	RECOVERY (inches)	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH
					40			Black Sandstone, moderately hard, moderately strong, highly weathered <i>(continued)</i>	
					45		x x x	Gray-brown sandy Siltstone, moderately hard, moderately strong, highly weathered Bottom of borehole at 45.0 feet.	44.5 45.0