ACME CONSULTING
1234 Anystreet
Somewhere, Someplace
Phone: 534 123 4567
Fax: 534 321 4567

LOG OF BOREHOLE B-1

Logo

Project:	gINT Example	Surface Elevation:	123.4 ft
Job Number:	1234-5678-90	Top of Casing Elev.:	125.6 ft
Location:	Anywhere, USA	Drilling Method:	Hollow-Stem Auger
Coordinates:	N 1,000.2 E 2,134.8	Sampling Method:	Split-Spoon

Elevation, (ft)	Depth, (ft)	Sample No.	Recovery %	MATERIAL DESCRIPTION	Blow Counts	Pocket Pen., (tsf)	Dry Unit Weight, (pcf)	Water Content %
				Asphalt with gravel base.				
				Reddish brown to to very dark gray, SAND: fine to medium grained sand, angular, moist.				
118.4	5	1	100	With some silt.	15 20 15 20			
				Bluish gray, SILT with Clay: no to low plasticity, medium dry strength, no to slow dilatancy, low to medium toughness, moist.				
113.4	10	2	90		pushed	1	90	35
108.4	15	3	95		10 18 22			
103.4	20	4	80	Grayish green, CLAY: low to medium plasticity, low dry strength, no dilatancy, low toughness, dry to moist, with some coarse grained sand.	15 50/5 in			
				Brownish yellow to mottled with dark greenish gray, GRAVEL with Sand: fine to coarse grained sand with fine gravel, subrounded.				
98.4	25	5	75		50/4 in			
93.4	30							
	35							

WELL DIAGRAM

- Cement grout
- Bentonite chips
- Monterey #3 Silica Sand
- Sch. 40 Slotted PVC, 0.020-inch slots
- Cave-in sluff

Completion Depth:	30.0 ft
Date Borehole Started:	12/27/02
Date Borehole Completed:	12/28/02
Logged By:	A. Geologist
Drilling Company:	123 Let's Drill & See

Remarks: Well installed immediately after completion of drilling. Developed for 2 hours until water was clear.

The stratification lines represent approximate boundaries. The transition may be gradual.