

STANDARD ODOT SOIL BORING LOG (8.5 X 11) - OH DOT GDT - 8/31/09 06:21 - G:\SALES\CONSULTING\CLIENTS\OH\DOT\CG2656 FILES FROM CLIENT\100209.GPJ

PID: 83378		BR ID: N/A		PROJECT: TUS-39-24.3		STATION / OFFSET: 95+37, 9.0 LT		START: 1/5/09		END: 1/6/09		PG 2 OF 2		B-001-0-09							
MATERIAL DESCRIPTION AND NOTES			ELEV. 940.0	DEPTHS	SPT/ RQD	N ₆₀	REC (%)	SAMPLE ID	HP (tsf)	GRADATION (%)					ATTERBERG			WC	ODOT CLASS (GI)	HOLE SEALED	
										GR	CS	FS	SI	CL	LL	PL	PI				
SANDSTONE , BLACK AND LIGHT GRAY, MODERATELY WEATHERED, SLIGHTLY STRONG, FINE GRAINED, LAMINATED TO VERY THIN BEDDED, MICACEOUS, CONTAINS COAL STINGERS; RQD 24%, REC 60%. <i>(continued)</i>			936.0	31																	
				32																	
				33																	
				34	EOB																

NOTES: HOLE DRY @ 4:00 PM ON 01/05/09; STA. 100+00 = CENTER OF BRIDGE TUS-39-2447; ELEVATIONS ESTIMATED FROM TOPO MAPS
 ABANDONMENT METHODS, MATERIALS, QUANTITIES: PUMPED 100 LB. BENTONITE GROUT