


Fractions normalized to 100% passing the 2mm (#10) sieve



	Borehole	Depth (ft)	USDA Classification	Sand (%)	Silt (%)	Clay (%)
●	B-1	5.0	CLAY	15.1	31.7	53.2
⊠	B-1	10.0	SILTY CLAY	11.9	42.6	45.5
▲	B-1	15.0	CLAY LOAM	34.1	29.0	36.9
★	B-2	5.0	SANDY CLAY LOAM	54.5	21.6	23.9
⊙	B-2	19.0	SILTY CLAY LOAM	18.5	48.3	33.3
⊕	B-3	5.0	SANDY LOAM	75.0	10.0	15.0
○	B-3	10.0	LOAMY SAND	80.0	15.0	5.0
△	B-3	15.0	SAND	95.0	2.0	3.0
⊗	B-3	20.0	LOAM	45.0	42.0	13.0
⊕	B-3	25.0	SILT LOAM	25.0	65.0	10.0
□	B-3	30.0	SILT	13.0	84.0	3.0
⊗	B-3	35.0	SANDY CLAY	56.0	4.0	40.0

USDA TEXTURAL CLASSIFICATION USDA TEXTURAL CLASS.GPJ USDA TEXTURAL CLASS.GDT 1/4/03

Logo

ACME Consulting
 1234 Main Street
 Somewhere, SOMEPLACE 00000
 Telephone: (000) 555-1234
 Fax: (000) 555-4321

USDA Textural Classification Chart

Project: gINT Example
 Location: Somewhere
 Number: 123456789